

TOLOCZKO, SUSAN B

DOB: 07/19/1949 Age: 67 Specimen: TM515948V Collected: 04/04/2017 15:11 Client #: 44025 CPU ANTEK HEALTH WARE/LABDAQ
 Sex: F Fasting: Requisition: 0053547 Received: 04/04/2017 15:13 SALAHUDDIN, MUHAMMAD 2 SHIRCLIFF WAY STE 700
 Phone: (904) 525-0918 Report Status: FINAL Reported: 04/05/2017 14:49 BAKER, JAMES D., MD JACKSONVILLE, FL 32204-4759
 Patient ID: 64165 Fax: (904) 387-2928

FASTING:NO

▲ PTH, INTACT AND CALCIUM

PARATHYROID HORMONE, INTACT **99 H** Reference Range: 14-64 (pg/mL)

Interpretive Guide Intact PTH Calcium

 Normal Parathyroid Normal Normal
 Hypoparathyroidism Low or Low Normal Low
 Hyperparathyroidism
 Primary Normal or High High
 Secondary High Normal or Low
 Tertiary High High
 Non-Parathyroid
 Hypercalcemia Low or Low Normal High

CALCIUM **9.5** Reference Range: 8.6-10.4 (mg/dL)

▲ RENAL FUNCTION PANEL

GLUCOSE **121 H** Reference Range: 65-99 (mg/dL)

Fasting reference interval
 For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.

UREA NITROGEN (BUN) **22** Reference Range: 7-25 (mg/dL)

CREATININE **1.47 H** Reference Range: 0.50-0.99 (mg/dL)

For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.

eGFR NON-AFR. AMERICAN **37 L** Reference Range: > OR = 60 (mL/min/1.73m2)

eGFR AFRICAN AMERICAN **42 L** Reference Range: > OR = 60 (mL/min/1.73m2)

BUN/CREATININE RATIO **15** Reference Range: 6-22 ((calc))

SODIUM **144** Reference Range: 135-146 (mmol/L)

POTASSIUM **4.4** Reference Range: 3.5-5.3 (mmol/L)

CHLORIDE **107** Reference Range: 98-110 (mmol/L)

CARBON DIOXIDE **21** Reference Range: 20-31 (mmol/L)

CALCIUM **9.5** Reference Range: 8.6-10.4 (mg/dL)

PHOSPHATE (AS PHOSPHORUS) **3.5** Reference Range: 2.1-4.3 (mg/dL)

ALBUMIN **4.2** Reference Range: 3.6-5.1 (g/dL)

CBC (H/H, RBC, INDICES, WBC, PLT)

WHITE BLOOD CELL COUNT **9.5** Reference Range: 3.8-10.8 (Thousand/uL)

RED BLOOD CELL COUNT **4.25** Reference Range: 3.80-5.10 (Million/uL)

HEMOGLOBIN **13.5** Reference Range: 11.7-15.5 (g/dL)

HEMATOCRIT **40.1** Reference Range: 35.0-45.0 (%)

MCV	94.4	Reference Range: 80.0-100.0 (fL)
MCH	31.8	Reference Range: 27.0-33.0 (pg)
MCHC	33.7	Reference Range: 32.0-36.0 (g/dL)
RDW	12.7	Reference Range: 11.0-15.0 (%)
PLATELET COUNT	300	Reference Range: 140-400 (Thousand/uL)
MPV	9.4	Reference Range: 7.5-12.5 (fL)

VITAMIN D,25-OH,TOTAL,IA

VITAMIN D,25-OH,TOTAL,IA	47	Reference Range: 30-100 (ng/mL)
--------------------------	----	---------------------------------

Vitamin D Status 25-OH Vitamin D:

Deficiency: <20 ng/mL

Insufficiency: 20 - 29 ng/mL

Optimal: > or = 30 ng/mL

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

For more information on this test, go to:

<http://education.questdiagnostics.com/faq/FAQ163>

(This link is being provided for informational/educational purposes only.)

PROTEIN, TOTAL W/CREAT, RANDOM URINE

CREATININE, RANDOM URINE	87	Reference Range: 20-320 (mg/dL)
PROTEIN/CREATININE RATIO	80	Reference Range: 21-161 (mg/g creat)
PROTEIN, TOTAL, RANDOM UR	7	Reference Range: 5-24 (mg/dL)

Performing Sites

TP Quest Diagnostics-Tampa, 4225 E Fowler Ave, Tampa, FL 33617-2026 Laboratory Director: Glen L Hortin

These results have been sent to the person that ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '@' and 'TM' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2017 Quest Diagnostics Incorporated. All rights reserved.